



# Immersive panoramic view makes work comfortable and play fun

# An immersive visual and audio experience

Enjoy an optimal viewing experience for work, videos, movies and even gaming on this ideally sized 34" 21:9 curved monitor. The curved screen maximizes your field of view and minimizes reflection so you can view images on your screen more comfortably. The wrap-around feel draws you deeper into the action.

- Cinematic clarity and sharpness thanks to:
  - WQHD 3440x1440 resolution
  - Consistent colors across a wide viewing angle
- Over 1 billion accurate colors with a wide 99% sRGB¹ color gamut.
- Rich engaging sound with integrated 18W speakers.
- Virtually borderless viewing with a stylish, thin bezel design.

# A 50.56 V 50.56 V 50.06 A 70.90 A 7

# Improved productivity and unrivaled usability

Adjust the monitor to view the screen the way you like, and easily work with multiple applications simultaneously to help boost your productivity.

- Ideal alternative to dual monitor setup with sharper (20% more pixels) WQHD resolution vs. two Full HD monitors.
- Enjoy enhanced viewing comfort with tilt, swivel, and height adjustable features.
- See the full 34", 21:9 image 60 Hz when you connect your PC via HDMI 2.0.
- Help improve productivity with easy windows organization from Dell Easy Arrange.
- Navigate across multiple applications from two different PC inputs with Picture by Picture and Picture in Picture features.

### Reliable with an eco-conscious design

Choosing the Dell UltraSharp 34 Monitor means you'll get proven technology from the makers of the #1 monitor brand worldwide.\*

- Enjoy peace of mind with Premium Panel Guarantee<sup>2</sup> during the 3 years Limited Hardware Warranty<sup>3</sup> period.
- Gain productivity from minimal downtime with 3 years Advanced Exchange Service.<sup>4</sup>
- Designed with eco-conscious materials.<sup>5</sup>
- Meets the latest environmental standards.<sup>6</sup>








Thank you for making Dell Monitors

worldwide\*

### Adjust the U3415W to fit your preferred viewing position:





### Connectivity



- A AC power connector
- B MHL
- C HDMI
- DisplayPort in
- E Mini DisplayPort in
- F DisplayPort out
- **G** Audio line-out
- **H** USB upstream
- I USB downstream (4)
- J Stand lock



### What's in the box?

Monitor, stand, cable cover, power cable (varies by country), HDMI cable, DisplayPort cable (mini-DP to DP), USB 3.0 upstream cable (enables the USB ports on the monitor), drivers and documentation media, quick set up guide, Safety and Regulatory Information, Factory Color Calibration Report.

### For more information visit www.dell.com/monitors







### Dell UltraSharp 34 Monitor | U3415W

The state of the s		
Display		
Model number	U3415W	
Viewable image size (diagonal)	86.5 cm (34 inches)	
Active display area Horizontal Vertical	798.20 mm (31.43 inches) 334.80 mm (13.18 inches)	
Maximum resolution	3440 x 1440 @ 60 Hz	
Aspect ratio	21:9	
Pixel pitch	0.2325 mm x 0.2325 mm	
Brightness (typical)	300 cd/m <sup>2</sup>	
Color gamut (typical)	99% sRGB (deltaE <3), 91%7 (CIE 1976)	
Color depth	1.074 billion colors	
Contrast ratio (typical) Dynamic contrast ratio	1,000:1 2 million:1	
Viewing angle (typical) (vertical/horizontal)	178°/172°	
Response time (typical)	Fast mode: 5 ms (typical) Normal mode: 8 ms (typical)	
Panel technology, surface	In-plane switching, anti-glare	
Backlight	LED	
Integrated speakers	2 x 9W	
Bezel color	Black	

### Connectivity

Connectors	IX HDMI 2.0, IX MHL, IX MINI-DISPLAYPORT <sup>3</sup> ,
	1 x DisplayPort <sup>9</sup> , 1 x DisplayPort out <sup>9</sup> (MST),
	1 x Audio-line out, 2 x USB 3.0 upstream, 4 x USB 3.0
	downstream ports

Design features		
Stand	Tilt (Typical: 5° forward or 21° backward), swivel and height adjustable (115 mm)	
Security	Security lock slot (security lock not included)	
VESA mounting support (wall mount sold separately	100 mm x 100 mm	

Power	
AC input voltage/frequency/current (typical)	100 VAC to 240 VAC / 50 Hz or 60 Hz ± 3 Hz / 1.5 A (typical)
Power consumption (normal operation, typical)	55 W
Power consumption (active-off mode)	<0.5 W

rower consumption (active-on mode)	<0.5 W
Dimensions (with stand)	
Height (compressed ~ extended)	408.7 mm (16.09 inches) ~ 523.7 mm (20.62 inches)
Width	824.7 mm (32.47 inches)
Depth	216.0 mm (8.50 inches)
Weight	
Weight (panel only – no stand)	8.44 kg (18.60 lb)
Weight (with stand)	11.25 kg (24.80 lb)

Shipping weight	17.50 kg (38.56 lb)
Standard service plan	Environmental compliance
3 Years Advanced Exchange Service <sup>4</sup> &	ENERGY STAR®, EPEAT® Gold®, TCO Certified Displays,
3 Years Limited Hardware Warranty <sup>3</sup>	China Energy Label, RoHS,WEEE, ErP (EuP) Standards,
	Korea E-Standby

- \* Dell monitors are #1 Worldwide in 2013. Dell monitors are #1 in North America for the last 14 years (2000 to 2013).

  Source: NPD DisplaySearch Quarterly Desktop Monitor Shipment and Forecast Report. (Ad#G14000221)

  \*\* Registered in US and Canada only.

  \*\* Registered in US and Canada only.

  \*\* As measured by deltaE < 3

  \*\* In the event you discover even one bright pixel during the Limited Hardware Warranty period, a free panel exchange is guaranteed. (see pixel panel info located on Dell.com web page for complete details): http://support.dell.com/support/topics/global.aspx/support/kcs/document?docid=414288

  \*\* For a copy of the Limited Hardware Warranty, write to Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see dell.com/warranty.

  \*\* Advanced Exchange Service: Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies. Other conditions apply.

  \*\* Designed with eco-conscious materials, BFR/PVC-free (excluding external cables) with an arsenic-free glass and mercury-free LED panel.

- Designed with eco-conscious materials, PRAPAC-free (excluding external cables) with an arsenic-free glass and mercury-free LED panel.

  6 EPEAT Gold, ENERGY STAR, TCO Certified Displays

  7 Color gamut (typical) is based on CIE1976 (91%) and CIE1931 (76%) test standards.

  8 EPEAT Gold registered in the U.S. EPEAT registration varies by country. See www.epeat.net for registration status by country.

  9 DisplayPort 1.2 Supports High Bit Rate 2 (HBR2) and Multi-stream transport (MST). U3415W does not support fast AUX transaction, 3D stereo transport and HBR (High bit rate) audio.



## Work smarter

At Insight, we'll help you solve challenges and improve performance with intelligent technology solutions.

Learn more

